Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	169	esn and challenge	USPAT	OR	OFF	2006/04/27 10:27
L2	44	esn and challenge and a-key	USPAT	OR	OFF	2006/04/27 10:27
L3	8	esn and challenge with a-key	USPAT	OR	OFF	2006/04/27 10:28
L4	1	esn with challenge with a-key	USPAT	OR	OFF	2006/04/27 10:29
L5	1	esn with challenge with a-key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 10:29
L6	5	esn with challenge with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 10:30
L7	1	esn with database and a-key with challenge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 10:31
L8	8	esn with database and key with challenge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:32
L9	5	purchase with cell with phone with game	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:34
L10	3764	download\$4 with phone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:34
L11	454	download\$4 with phone with cell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:34
L12	33	download\$4 with phone with cell with game	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:34

L13	1	download\$4 with phone with cell with game same encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:34
L14	5	download\$4 with phone with cell same encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:35
L15	125	download\$4 with phone same encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:35
L16	29	download\$4 with phone with cell\$6 same encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:35
L17	42	download\$4 with (phone telephone) with (cell cellular) same encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:48
L18	25	download\$4 with (phone telephone) with (cell cellular) and "encrypted key"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:49
L19	50	download\$4 with "encrypted key"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:49
S1	2	("5789681" "5905736").pn.	USPAT	OR	OFF	2006/04/27 10:27
S2	2	("5789689" "5905736").pn.	USPAT	OR	OFF	2005/09/14 13:44
S3	1	"5825883".pn.	USPAT	OR	OFF	2005/09/14 13:44
S4	92	726/7.ccls.	USPAT	OR	OFF	2005/09/16 06:09
S5	15972	726/7.ccls. hash\$4	USPAT	OR	OFF	2005/09/16 06:10
S6	25	726/7.ccls. and hash\$4	USPAT	OR	OFF	2005/09/16 06:10
S7	12	726/7.ccls. and hash\$4 and challenge	USPAT	OR	OFF	2005/09/16 06:16
S8	28	chap same serial	USPAT	OR	OFF	2005/09/16 06:39
S9	35	chap and "726"/\$.ccls.	USPAT	OR	OFF	2005/09/16 06:43
S10	7	chap with hash	USPAT	OR	OFF	2005/09/16 06:43

				1		
S11	30	encrypt with "shared key"	USPAT	OR	OFF	2005/09/16 07:06
S12	0	hash\$4 with \$random with responce	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 07:07
S13	0	hash\$4 with random with responce	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 07:07
S14	70	hash\$4 with \$random with response	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 07:15
S15	1068	713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 07:16
S16	415	713/168.ccls. and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 07:16
S17	30	713/168.ccls. and hash with challenge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 07:16
S18	37	713/168.ccls. and hash\$4 with challenge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 07:24
S19	49	713/168.ccls. and hash\$4 with response	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 07:30
S20	7013	"726"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 07:30

1490	"726"/\$.ccls. and hash\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 07:31
189	"726"/\$.ccls. and hash\$ and challenge with response	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 07:42
22	match with challenge with (random psudorandom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 07:50
1	match with response with (random psudorandom) with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 07:50
246	bellare	USPAT	OR	OFF	2005/09/16 08:31
12	bellare.in.	USPAT	OR	OFF	2005/09/16 08:45
1	"4193131".PN.	USPAT; USOCR	OR	OFF	2005/09/16 08:38
1	"4438824".PN.	USPAT; USOCR	OR	OFF	2005/09/16 08:38
1	"4549075".PN.	USPAT; USOCR	OR	OFF	2005/09/16 08:40
1	"5371794".PN.	USPAT; USOCR	OR	OFF	2005/09/16 08:41
975	"encrypted key"	USPAT	OR	OFF	2005/09/16 08:50
281	"encrypted key" with data	USPAT	OR	OFF	2005/09/16 08:51
45	"encrypted key" with data with transmit\$4	USPAT	OR	OFF	2005/09/16 09:55
119	secure adj memory with (encrypt\$4 decrypt\$4)	USPAT	OR	OFF	2005/09/16 09:59
0	713/7.ccls.	USPAT	OR	OFF	2006/04/27 07:24
92	726/7.ccls.	USPAT	OR	OFF	2006/04/27 07:24
52	726/7.ccls. and database	USPAT	OR	OFF	2006/04/27 07:25
7	726/7.ccls. and database and identifier with device	USPAT	OR	OFF	2006/04/27 07:29
. 2	726/7.ccls. and database and (id identifier) adj device	USPAT	OR	OFF	2006/04/27 07:34
2	(loggin login "log in") with (id identifier) adj device	USPAT	OR	OFF	2006/04/27 07:37
	189  22  1  246 12 1 1 1 1 1 975 281 45 119 0 92 52 7 2	"726"/\$.ccls. and hash\$ and challenge with response  match with challenge with (random psudorandom)  match with response with (random psudorandom) with hash  bellare bellare.in. "4193131".PN. "4438824".PN. "4549075".PN. "5371794".PN. "5371794".PN. "encrypted key" "encrypted key" with data "encrypted key" with data with transmit\$4  secure adj memory with (encrypt\$4 decrypt\$4)  713/7.ccls. 726/7.ccls. and database 7 726/7.ccls. and database and identifier with device 2 726/7.ccls. and database and identifier with device 2 (loggin login "log in") with (id	### ### ##############################	USPAT; EPO; JPO; DERWENT; IBM_TDB  189 "726"/\$.ccls. and hash\$ and challenge with response US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB  22 match with challenge with (random psudorandom) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB  1 match with response with (random psudorandom) with hash  246 bellare USPAT; EPO; JPO; DERWENT; IBM_TDB  246 bellare USPAT OR  1 "4193131".PN. USPAT; OR  1 "4438824".PN. USPAT; OR  1 "4549075".PN. USPAT; OR  1 "5371794".PN. USPAT; OR  281 "encrypted key" USPAT; OR  281 "encrypted key" with data USPAT OR  45 "encrypted key" with data USPAT OR  45 "encrypted key" with data USPAT OR  45 "encrypted key" with data USPAT OR  47 "26/7.ccls. and database and identifier with device  2 726/7.ccls. and database and identifier with device  2 (loggin login "log in") with (id USPAT OR	USPAT; EPO; JPO; DERWENT; IBM_TDB  189 "726"/\$.ccls. and hash\$ and challenge with response USPAT; EPO; JPO; DERWENT; IBM_TDB  22 match with challenge with (random psudorandom)  1 match with response with (random psudorandom) With hash  1 match with response with (random psudorandom) With hash  246 bellare  1 bellare.in.  1 "4193131".PN.  25PAT; EPO; JPO; DERWENT; IBM_TDB  26 bellare  17 "4438824".PN.  18 "4549075".PN.  19 "4549075".PN.  27 "encrypted key"  28 "encrypted key"  29 "encrypted key" with data  45 "encrypted key" with data  45 "encrypted key" with data  45 "encrypted key" with data with transmit\$4  19 secure adj memory with (encrypt\$4 decrypt\$4)  29 726/7.ccls. and database and identifier with device  2 726/7.ccls. and database and (id identifier) adj device  2 (loggin login "log in") with (id USPAT OR OFF

S41	0	(loggin login "log in") with serail adj number	USPAT	OR	OFF	2006/04/27 07:37
S42	24	(loggin login "log in") with serial adj number	USPAT	OR	OFF	2006/04/27 07:37
S43	808	serial adj number with database	USPAT	OR	OFF	2006/04/27 08:32
S44	37	serial adj number with database with verif\$7	USPAT	OR	OFF	2006/04/27 08:38
S45	21	esn with challenge	USPAT	OR	OFF	2006/04/27 08:38